Approved For Release 2002/06/19 ECIP RPP81B00961R000100160177-4

OSA 1222-64

10 March 1964

MEMORANDUM FOR: Deputy Director (Support)

SUBJECT : Requirement for Special Communications

Equipment

REFERENCE: Memorandum for DD/S from AD/OSA, Same

Subject, dated 12 February 1964

(OSA 0137-64)

1.	This	memorandum	is	for	informatio	on o	nly a	nd	is
intended	as a	supplement	to	the	reference	meme	orand	lum	
with add	itiona	al and more	det	taile	ed operation	onal	just	ifi	ca_
tion as	reques	sted by					your		

25X1A

- 2. With your knowledge of operations for which this office is responsible, I am sure you can appreciate the demands placed upon us for immediate reactions and for the most detailed and timely coordination. In fact, in order to be able to direct our activities, and respond to higher echelons, both within and outside the Agency, in sufficiently rapid fashion, it was decided quite some time ago that the planning and monitoring of operational missions would be accomplished through the utilization of electronic computors, plotters and other collateral equipment. This equipment has been installed and is now being used in the current training phase.
- 3. It is my belief that the direct, non-dialing communications equipment which I have requested as well as the above sophisticated electronic equipment is a very necessary and integral part of our operations. If we are going to adopt the latest, most modern equipment and techniques to certain phases of our activity, then I feel quite strongly that we should extend that concept to include more efficient and effective inter and intra office communications facilities.



2011

Approved For Release 2002/06/15 FCIA RWP81B00961R000100160177-4

OSA 1222-64

- 4. The reference memorandum indicated that a direct communication line would be established between my office and that of the DBCF. This request should be deleted as the direct lime from the DDCI to Dr. Wheelon's office is considered sufficient.
- 5. I can ascure you that this request for Call Director units is necessary for our operational responsibilities and not for any administrative convenience. Therefore, once again I recommend that you approve the installation of five Call Director units in my immediate office to permit the rapid communications as described horein.

SIGNED

25X1A

Acting Assistant Director (Special Activities)

CONCUR:

25X1A

Signe ALBERT D. WHENLON Deputy Director (Science and Technology)

25X1A

cc: DD/SET

Director of Security Chief, Logistics Services Division

SD: OSA bwl Distribution: Orig & 1 - SD/OSA 1 - AD/OSA 1 - Mat. Div/OSA 1 - RB/OSA

Approved For Release 2002/06/14: LRDP81B00961R000100160177-4